

DAF Kimya İç ve Dış Tic. A.Ş.

Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90 E-mail : info@inknovators.com

# SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

Commercial Name : Hybrid TB Clear

SDS No : 189

#### 1. PRODUCT & COMPANY IDENTIFICATION :

1.3. Company Name Address	:	Hybrid TB Clear Printing paste for elastic and soft touching effect in textile printing DAF Kimya İç ve Dış Tic. A.Ş. Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul the safety data sheet :
Supplier Name Address Phone	:	DAF Kimya İç ve Dış Tic. A.Ş. Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul +9 0212 803 41 78 - 79 & 90
1.2. Emergency Phone E- mai		+9 0533 150 15 14 (7/24 hours) <u>info@inknovators.com</u>

National Poison Center : 114 (for 24 hours)

#### 2. HAZARDS IDENTIFICATION :

## 2.1. Classification of substance and Mixture :

**Physical Hazards :** The product is not classified as harmful.

**Health Hazards :** Harmful if swallowed. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If the victim don't feel good, immediately call the National poison control center (phone: 114) Seek medical attention immediately.

Use for protection, suitable protective clothing, gloves and eye/face. Keep out of the reach of children and under lock and key.

Environmental hazards : This product is not classified as hazardous

#### 2.2. Label elements:

Labelling according Regulation (EC) No 1272/2008 :

Harmfulness Statements : It is given in Section 16.

Precautionary statements : EUH210 safety data sheet can be provided on request.

Pictogram

GHS07



DAF Kimya İç ve Dış Tic. A.Ş.

Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90 E-mail : info@inknovators.com

# SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

#### Commercial Name : Hybrid TB Clear

SDS No : 189

## 3. COMPOSITION INFORMATION on HAZARDOUS INGREDIENTS :

Component	CAS No	EC No	Concentration (%)	Classification	Labeling
Polyurethane dispersion (water based)	Trade Secret		45-65%		
Acrylic polymer dispersion (water based)	Trade Secret		5-25%		
Ethylene glycol	107-21-1	203-473-3	1-15%	Acut Tox. 4 * H302	P 101 GHS07 Dkt
Water	7732-18-5	231-791-2			

## 4. FIRST AID MEASURES :

**Inhalation :** Get victim to fresh air. Give artificial respiration or oxygen if breathing has stopped. Get prompt medical attention. Do not give fluids if victim is unconscious. If the victim don't feel good, immediately call the National poison control center (phone: 114) Seek medical attention immediately.

**Contact with Eyes :** Immediately flush eyes with large amounts of water for at least 15 minutes, holding lids apart to ensure flushing of the entire surface. Washing eyes within 1 minute is essential to achieve maximum effectiveness. Seek medical attention immediately.

**Contact with Skin :** Immediately flush skin with plenty of water while removing contaminated clothing. Wash contaminated clothing before reuse. If redness or irritation occurs, seek medical attention.

**Ingestion :** Harmful if swallowed. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs, to open the airway of victim's and for prevent aspire, lean to the left side if possible (head down). Immediately consult a doctor with the product label (if possible)

## 5. FIRE FIGHTING MEASURES :

Extinguishers : Dry powder, carbon dioxide, alcohol-resistant foam. Avoid contact with the water.

Special hazards arising from the substance or mixture : Carbon oxides

**Extinguishing media** : In case of needed, follow the Emergency Plan and take quarantine to environment, remove the staff around.

**Special fire fighting equipment :** Use gas mask for respiration, leakproof chemical goggles against the splash, fireproof gloves, boots and flame protective clothing.



DAF Kimya İç ve Dış Tic. A.Ş. Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90

E-mail : info@inknovators.com

## SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

#### Commercial Name : Hybrid TB Clear

SDS No : 189

#### 6. ACCIDENTAL RELEASE MEAUSRES :

**Personal Precautions :** Wear protective equipment. Immediately ventilate the contaminated area. Unprotected persons must move away from the contaminated area.

**Environmental Precautions :** If there is spillage, use general purpose absorbent/chemical kit for absorb the contaminated area. Do not empty into drains, prevent to contaminated other chemicals. Wash the contaminated area. Get informed the Authorities immediately.

**Cleaning Methods** : If possible, use chemical kit which is suitable to ingredient of this product. In case there is not a general-purpose absorbent / kit sure to absorb the chemical. Do not clean with water.

#### 7. HANDLING and STORAGE :

**Precautions for safe handling:** Avoid spills. Don't Inhalation, avoid contact with eye and skin.

**Usage :** After use, especially when it comes into contact with the eyes and skin - your skin with plenty of water/wash your hands. (please see section 4) In case of needed, follow the Emergency Plan and take quarantine to environment, remove the staff around. No smoking.

**Storage** : This material and its container must be disposed of as hazardous waste . Keep container in a dry, cool wellventilated place with original packaging . Take precautionary measures against static discharges. No smoking. It must be stored in accordance with the Legal laws. Attention should be paid to the warnings given on the label.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION :

## **Occupational Exposure controls / personal protection:**

Ethylene glycol: TWA (8 hours): 20 ppm 52 mg/m<sup>3</sup>; STEL (15 min.): 40 ppm 104 mg/m<sup>3</sup>

DNEL (According to EC 1907/2006)			
Application Area	Exposure Routes	Health Effect	Value
Employee	Inhalation	Long lasting - local effect	35 mg/m3
Employee	Skin Contact	Long lasting-systemic effect	106 mg/kg BWd
Consumer	Inhalation	Long lasting - local effect	7 mg/m3
Consumer	Skin Contact	Long lasting-systemic effect	53 mg/kg BWd

PNEC (According to EC 1907/2006)			
Field	Value		
Soil	1,53 mg/kg		
Naval Water	1 mg/l		



DAF Kimya İç ve Dış Tic. A.Ş.

Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90 E-mail : info@inknovators.com

SDS No : 189

# SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

#### Commercial Name : Hybrid TB Clear

Water	10 mg/l
Marine Sediment	3,7 mg/kg
Water Sediment	37 mg/kg
Waste water treatment plant	199,5 mg/l

General hygiene and safety rules should be applied. The working environment must be eye shower (wash)

station. Wash hands after working and end of day.

Engineering Measures : Well general ventilation should be used.

Accumulated chemical level in the air to reduce the acceptable limit, use the exhaust ventilation and/or

use other engineering controlls.

General hygiene and safety rules should be applied. The working environment must be eye shower (wash) station.

## **Personal Protection Equipments :**

Protection respiratory system	: Gas masks with suitable filters to the chemical.
Protection Eye, face	: Protective goggles against the risk of splash
Protection Skin, Body	: May cause skin irritation and burns; use resistance gloves
Protection Hands	: Use Fire and chemical resistant clothes

## 9. PHYSICAL and CHEMICAL PORPERTIES :

#### 9.1. General Informations :

- 9.1.1. Visual Appearance : Yellowish, Transparant paste
- 9.1.2. Odor : Characteristic

#### 9.2. Important Health, Safety and Environental Information :

рН	:	7.5 – 8.5
Boiling Point /Range	:	100°C (water)
Solubility	:	Soluble in water
Viscosity	:	65.000-75.000 Brookfield RTV 7/20 (mPa.s) 23 $^{0}$ C

#### **10.STABILITY and REACTIVITY :**

Stable under normal conditions, it is not reactive. Keep away from direct sunlight and keep it away from chemicals that are aggressive chemicals in the content. In case of overheating, can release chemical gases.



DAF Kimya İç ve Dış Tic. A.Ş. Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90 E-mail : info@inknovators.com

## SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

	CLP Regulation, EC 1272/2008)			
Commercial Name : Hybrid T	B Clear SDS No : 189			
11.TOXICOLOGICAL INFORMA	ATION :			
Acute toxicity	:			
Ethylene glycol :				
Toxicity (fish)				
LC50 - Oncorhynchus myki	ss (rainbow trout) - 18.500 mg/l - 96 h			
LC50 - Leuciscus idus (gold	Orpheus) - > 10.000 mg/l - 48 h NOEC			
Pimephales promelas (Car	o puppy) - 32.000 mg/l - 7 d NOEC			
Pimephales promelas (Car	o puppy) - 39.140 mg/l - 96 h			
Toxicity to Daphnia and otl	ner aquatic invertebrates			
EC50 - Daphnia magna (sw	EC50 - Daphnia magna (sweet bay) - 74.000 mg/l - 24 h NOEC - Daphnia (water flea) - 24.000 mg/l - 48 h			
LC50 - Daphnia magna (sw	eet bay) - 41.000 mg/l - 48 h			
Other Toxicology Informat	ion :			
Inhalation	: May cause irritation and coughing			
Contact with Skin	: May cause irritation and cracking of the skin at long term effect			
Contact with Eyes	: May cause irritation therefore use suitable protective clothing, gloves, goggles,			
	mask			
Ingestion	: In case of ingestion may cause harmfull.			
12.ECOLOGICAL INFORMATIC	)N :			
Ecotoxicity : Do not empty	into drains. Avoid release to the environment. Refer to special instructions/safety data			
sheet				
12.1. Toxicity				
Acut toxicity - fish	: LC50, 96 hours: >100 OECD Test No:203 mg/l, fish			
Acut toxicity - aquatic inve	rtebrates : EC50, 48 hours: > 342 DIN 3842 Part L8 mg/l, Water flea			
Acut toxicity - aquatic plar	ts : IC50, 72 hours: >1000 OECD Test No:209 mg/l, Algae			
Biodegradable : >70% 28	day OECD 303 A			

Biodegradable : >70% , 28 day OECD 303 A

#### 12.2. Persistence and Degradability :

Persistence and degradability : product is biodegradable >70% , 28 gün OECD 303 A

12.3. Bioaccumulative potential : This product doesn't make bioaccumulative



DAF Kimya İç ve Dış Tic. A.Ş. Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90 E-mail : info@inknovators.com

# SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

#### Commercial Name : Hybrid TB Clear

SDS No : 189

**12.4.** Mobility in Soil: Soluble in water. This product can spread in the aquatic media.

12.5. PBT and vPvB evaluation results : This product doesn't contain material which as PBT or vPvB

12.6. Other negative effects : N/A

#### **13.DISPOSAL CONSIDERATIONS :**

**Disposal/destruction :** Waste of this product is sent to the recycling companies which are licenced from T.C.

Republic of Turkey Ministry of Environment and Urbanisation with National Waste Form.

Waste Classification : European waste catalogue (ewc) code: 040216 Dyestuffs and pigments containing

dangerous substances.

### 14.TRANSPORT INFORMATION :

ADR/RID	:	UN code : N/A, Classification : N/A
IMDG/IMO	:	UN code : N/A, Classification : N/A
IATA/ICAO	:	UN code : N/A, Classification : N/A

**Packaging and transport information** : The packaging must be closed tightly. keep it away from chemicals that are aggressive chemicals in the content.

Proposed special transport packaging : Determined by the manufacturer.

Environmental hazards: Environmentally hazardous/Marine pollutant.

Bulk carriage doesn't apply according to MARPOL 73/78, Annex II and IBC code.

## **15.REGULATORY INFORMATION :**

## 15.1. Specific for the substance or mixture safety, health and environmental legislation :

National Legislations : Republic of Turkey Ministry of Environment and Urbanisation, 11 December 2013 on

classification, labelling and packaging of substances and mixtures legislation

**European Directive:** <u>Regulation (EC) No 1272/2008</u>, OJ L 353 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures - amending and repealing Directive 67/548/EEC and 1999/45/EC, and Regulation (EC) No 1907/2006.

## Guide

:

UNECE (United Nations Economic Comission for Europe) :

https://www.unece.org/fileadmin/DAM/trans/danger/publi/ghs/ghs\_rev02/English/08e\_annex4.pdf

ECHA (European Chemical Agency) :

http://echa.europa.eu/web/guest/regulations/clp



DAF Kimya İç ve Dış Tic. A.Ş. Mahmutbey mah. Taşocağı yolu cad. Ağaoğlu Myoffice 212 sit. no : 3 / 75 Bağcılar / İstanbul Trade register no : 98265-5 Phone : +9 0212 803 41 78 - 79 & 90 E-mail : info@inknovators.com

## SAFETY DATA SHEET

This safety data sheet has been prepared according to "The classification, labelling and packaging of substances and mixtures of T.C. Republic of Turkey Ministry of Environment and Urbanisation (Date : 13 December 2014, register no : 29204, CLP Regulation, EC 1272/2008)

Commercial Name : Hybrid TB Clear

SDS No : 189

## **16.OTHER INFORMATIONS :**

Hazard Statements :

H302 Harmful if swallowed

**Precautionary Statements :** 

P101 – If medical advice is needed, have product container or label at hand.

Pictograms / Symboles :

GHS07



## Additional Information :

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Information of this safety data sheet is taken from UNECE (United Nations Economic Comission for Europe) and onyl for informational. The warnings are given on this safety data sheet is for use outside the manufacturer/distributor to direct/indirect can not be held responsible for any loss or damage.

**History of Revision** :

Rev. No	Rev. Date	<b>Revision Details</b>
0	January 2016	First Issue